

















Exit Signs and Combos

						
NXFX NEMA 4X, NSF Rated Exit	NXFC NEMA 4X, NSF Rated Combo Exit	S900C LED Edge-lit Combo Exit	VLEDC-51 Ultra Compact LED Exit Combo	CLEL LED Light Bar Exit Combo	VLED-EL90 LED Exit Combo	ILX Compact, Low-Profile LED Exit
						
VEX Thermoplastic LED Exit	VEX-R LED Exit with Remote Capability	VEX-WP Weatherproof LED Exit	VEX-WPC Wet Location LED Exit Combo	VEX-WPCR Wet Location Remote Capability	400E Die-Cast Aluminum LED Exit	400EX Die-Cast Aluminum LED Exit
						
400U Universal Die-Cast Aluminum LED Exit	400C Die-Cast Aluminum LED Exit Combo	450 Ultra-Slim Die-Cast Aluminum LED Exit	500E Steel Direct View LED Exit	600E Steel Direct View LED Exit	700U Universal Steel Diffused Exit	900E Edge-lit LED Exit
						
S900 Swivel Mount Edge-lit LED Exit	RMPE Running Man LED Exit	RMPC Running Man LED Exit Combo	LOBO Low-Profile LED Combo	CP-E Class I, Div II Edge-lit LED Exit	CP-EXP Explosion Proof Edge-lit LED Exit	CP-EX Class I, Div II LED Exit
						
CT400E Die-Cast Aluminum LED Exit	CT700E Steel LED Exit	CT900E Recessed Edge-lit LED Exit	CTC900E Surface Mount Edge-lit LED Exit	NAV Wet Location LED Exit	EG100 High-Visibility Photoluminescent Exit	PXP Self Luminous Tritium Exit
						
CHIC Chicago LED Exit Combo	CHIX Chicago LED Exit	QXEDGP Thermoplastic LED Edge-lit Exit	CH900X Chicago Approved LED Edge-lit Exit	NYN4X NY Approved Wet Location Exit	NY900U NY Approved Universal Edge-lit Exit	NY900C NY Approved Edge-lit Combo Exit
						
NY900E NY Approved Edge-lit Exit	400U-8 NY Approved Die-Cast Exit	VEX-8 NY Approved Steel Exit	VEXCL NY Approved Steel Combo Exit			

Continued on next page...



Emergency Lighting

NXFE NEMA 4X, NSF Rated LED Emergency	RM2 Recessed LED Emergency	RMW Architectural LED Recessed Emergency	NFINITY Thermoplastic High Output LED	LED51/52 Thermoplastic Ultra Compact LED	LEM54-N4 Thermoplastic Wet Location LED	SCL Compact Steel LED Tool-less Batt Access	CRL Recessed T-Bar LED Tool-less Batt Access	CP-EMW Architectural Wet Location LED
CP-EMX Class I, Div II Incandescent	LED-60 Thermoplastic LED	LED-90 Thermoplastic LED	LED-95 Thermoplastic LED	LED-RX Polycarbonate Wet Location LED	NF1 Extruded Aluminum Cylinder LED	NF2 Aluminum Ultra Mini LED	NF3 Die-Cast Aluminum Compact Outdoor LED	NF5 Die-Cast Aluminum Linear Outdoor LED
NFDL1 New Construction Rec. LED Downlight	NFDL2 Remodel Rec. LED Downlight	LL50H-6/12-50 Thermoplastic High Capacity LED	LL50H-N4 Thermoplastic Wet Location LED	LRP Thermoplastic Heavy Duty Incandescent	RS2 27W LED Steel Emergency Light	FRM Flush Recessed Mount Emergency	RSL 12-90W LED Steel Emergency Light	RS 120-360 Steel LED or Incandescent
STEALTH Recessed LED	SLW Low-Profile Architectural LED	TRITON LED Die-Cast General & Emergency Lighting	WNX Fiberglass NEMA 4X Incandescent	CHIM Chicago LED Emergency				

GUARDIAN G3 Products

S900-G3 Universal Swivel Mount LED Edge-lit Exit	VEX-G3 Thermoplastic LED Exit	WPX-G3 Weatherproof Thermoplastic LED Exit	400WX-G3 Die-Cast Aluminum LED Exit	S900C-G3 LED Edge-lit Combo	VLED-EL90L-G3 Thermoplastic LED Combo	TPXC-G3 Thermoplastic LED Combo	WPXC-G3 Weatherproof Thermoplastic LED Combo	WPX-EM-G3 Weatherproof Thermoplastic Emergency Unit
NFT-G3 High Output Thermoplastic Emergency Light	LED-90L-G3 Thermoplastic LED Emergency Light	LED-51/52-G3 Ultracompact Thermoplastic Emergency Light	EMX-G3 Steel Emergency Light	SLW-GE Die-Cast Low-Profile General & Emergency Light	TRITON-G3 Die-Cast General & Emergency Light	LEMD-G3 LED Battery Backup Drivers	LEMDC-G3 Compact LED Battery Backup Drivers	GATEWAYS Primary & Secondary Gateways

EQUITY LINE Products

RS2 27W LED Steel Emergency Light	QXEDGP Thermoplastic LED Edge-lit Exit	QXS Universal Red/Green Slim Thermoplastic Exit	QCRS Universal Red/Green Slim Thermoplastic Combo	QXT Thin Thermoplastic Exit	QCRT Thin Thermoplastic Combo	QCSS Slim Thermoplastic Combo	QMS Micro Thermoplastic Emergency Unit	QMR Micro Thermoplastic Emergency Unit

Continued on next page...






Inverters

 CANYON Single Phase Indoor 750W, 950W or 1150W	 MESA Single Phase Indoor 375W or 600W	 TUCSON MICRO Single Phase Indoor 20W to 55W	 TUCSON COMPACT Single Phase Indoor 55W to 220W	 TUCSON MINI Single Phase Indoor 75W to 300W	 PHOENIX COMPACT Single Phase Indoor 350W to 2000W	 PHOENIX LITE Single Phase Indoor 575W to 1050W
 PHOENIX 1 Single Phase Indoor 2.4KW to 4.2KW	 PHOENIX PLUS Single Phase Indoor 4.7KW to 21.0KW	 SEDONA Three Phase Indoor 3.0KW to 125.0KW	 SIERRA 1 Single Phase Outdoor 0.075KW to 21.0KW	 SIERRA 3 Three Phase Outdoor 3.0KW to 21.0KW	 SONORAN 1 Single Phase Harsh Env. 0.075KW to 21.0KW	 SONORAN 3 Three Phase Harsh Env. 3.0KW to 125.0KW





LED Remote Lamps

 CHIR Chicago LED Remotes	 NXFR NEMA 4X, NSF Rated LED Remotes	 RL52-2RL52 Ultra Compact LED Remotes	 RL1-WP Wet Location LED Remotes	 RENEGADE Universal LED Remotes	 MLED LED Remotes for LED Exits or Em Units
----------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

LED Retro-fit Kits

 RT1 LED Strip - Direct Wire or Socket Ready	 RT2 Socket Ready with Base Adaptors	 LEDGE LED Edge-lit Retro-fit Kits
-------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------



Weatherproof LED Directional Signage

 82-1 32.6" x 6" x 3.25" Multiple Legends	 82-2 19.5" x 11.6" x 3.25" Multiple Legends	 82-4 14" x 14" x 3.25" X and Arrow	 82-5 19.5" x 6.5" x 3.25" Multiple Legends
----------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------

Emergency Components

 EMERGENCY BALLASTS Fluorescent 300 to 3000 Lumens	 EMERGENCY LED DRIVER Constant Power 5 to 13 Watts	 TRANSFER SWITCHES Emergency Lighting Control Device
-------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------





Custom Signs/Legends

 Custom Signs Weatherproof Assorted Sizes	 Custom Legends Indoor - Assorted Styles & Legends
----------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

Undercabinet

 LEDUC LED Undercabinet 12" to 42" Lengths

Accessories

 ER-KIT Includes Canopy, Rod & Hardware	 GUARDS Vandal Resistant Wire or Polycarbonate	 MOUNTING SHELVES For Mounting Emergency Lights	 WPV Wet Location Vandal Guards
--------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------