



## Exit Signs and Combos

						
<b>NXFX</b> NEMA 4X, NSF Rated Exit	<b>NXFC</b> NEMA 4X, NSF Rated Combo Exit	<b>S900C</b> LED Edge-lit Combo Exit	<b>VLEDC-51</b> Ultra Compact LED Exit Combo	<b>CLEC</b> LED Light Bar Exit Combo	<b>VLED-EL90</b> LED Exit Combo	<b>ILX</b> Compact, Low- Profile LED Exit
						
<b>VEX</b> Thermoplastic LED Exit	<b>VEX-R</b> LED Exit with Remote Capability	<b>VEX-WP</b> Weatherproof LED Exit	<b>VEX-WPC</b> Wet Location LED Exit Combo	<b>VEX-WPCR</b> Wet Location Remote Capability	<b>400E</b> Die-Cast Aluminum LED Exit	<b>400EX</b> Die-Cast Aluminum LED Exit
						
<b>400U</b> Universal Die-Cast Aluminum LED Exit	<b>400C</b> Die-Cast Aluminum LED Exit Combo	<b>450</b> Ultra-Slim Die-Cast Aluminum LED Exit	<b>500E</b> Steel Direct View LED Exit	<b>600E</b> Steel Direct View LED Exit	<b>700U</b> Universal Steel Diffused LED Exit	<b>900EX</b> Edge-lit LED Exit
						
<b>S900</b> Swivel Mount Edge-lit LED Exit	<b>RMPE</b> Running Man LED Exit	<b>RMPC</b> Running Man LED Exit Combo	<b>LOBO</b> Low-Profile LED Combo	<b>CP-E</b> Class I, Div II Edge-lit LED Exit	<b>CP-EXP</b> Explosion Proof Edge-lit LED Exit	<b>CP-EX</b> Class I, Div II LED Exit
						
<b>CT400E</b> Die-Cast Aluminum LED Exit	<b>CT700E</b> Steel LED Exit	<b>CT900E</b> Recessed Edge-lit LED Exit	<b>CTC900E</b> Surface Mount Edge-lit LED Exit	<b>NAV</b> Wet Location LED Exit	<b>EG100</b> High-Visibility Photoluminescent Exit	<b>PXP</b> Self Luminous Tritium Exit
						
<b>CHIC</b> Chicago LED Exit Combo	<b>CHIX</b> Chicago LED Exit	<b>QXEDGP</b> Thermoplastic LED Edge-lit Exit	<b>CH900X</b> Chicago Approved LED Edge-lit Exit	<b>NYN4X</b> NY Approved Wet Location Exit	<b>NY900U</b> NY Approved Universal Edge-lit Exit	<b>NY900C</b> NY Approved Edge-lit Combo Exit
						
<b>400U-8</b> NY Approved Die-Cast Exit						
						
<b>VEX-8</b> NY Approved Steel Exit						
						
<b>VEXCL</b> NY Approved Steel Combo Exit						

Continued on next page...



## Emergency Lighting



**NXFE**  
NEMA 4X, NSF Rated  
LED Emergency



**RM2**  
Recessed  
LED Emergency



**RMW**  
Architectural LED  
Recessed Emergency



**NFINITY**  
Thermoplastic  
High Output LED



**LED51/52**  
Thermoplastic  
Ultra Compact LED



**LEM54-N4**  
Thermoplastic  
Wet Location LED



**SCL**  
Compact Steel LED  
Tool-less Batt Access



**CRL**  
Recessed T-Bar LED  
Tool-less Batt Access



**CP-EMW**  
Architectural  
Wet Location LED



**CP-EMX**  
Class I, Div II  
Incandescent



**LED-60**  
Thermoplastic  
LED



**LED-90**  
Thermoplastic  
LED



**LED-95**  
Thermoplastic  
LED



**LED-RX**  
Polycarbonate  
Wet Location LED



**NF1**  
Extruded Aluminum  
Cylinder LED



**NF2**  
Aluminum  
Ultra Mini LED



**NF3**  
Die-Cast Aluminum  
Compact Outdoor LED



**NF5**  
Die-Cast Aluminum  
Linear Outdoor LED



**NFDL1**  
New Construction  
Rec. LED Downlight



**NFDL2**  
Remodel  
Rec. LED Downlight



**LL50H-6/12-50**  
Thermoplastic  
High Capacity LED



**LL50H-N4**  
Thermoplastic  
Wet Location LED



**RS2**  
1270W LED Steel  
Emergency Light



**FRM**  
Flush Recessed  
Mount Emergency



**RS 120-360**  
Steel LED or  
Incandescent



**STEALTH**  
Recessed  
LED



**SLW**  
Low-Profile  
Architectural LED



**TRITON LED**  
Die-Cast General &  
Emergency Lighting



**WNX**  
Fiberglass NEMA 4X  
Incandescent



**CHIM**  
Chicago  
LED Emergency

## GUARDIAN G3 Products



**S900-G3**  
Universal Swivel  
Mount LED  
Edge-lit Exit



**VEX-G3**  
Thermoplastic  
LED Exit



**WPX-G3**  
Weatherproof  
Thermoplastic  
LED Exit



**400WX-G3**  
Die-Cast Aluminum  
LED Exit



**S900C-G3**  
LED Edge-lit  
Combo



**VLED-EL90L-G3**  
Thermoplastic  
LED Combo



**TPXC-G3**  
Thermoplastic  
LED Combo



**WPXC-G3**  
Weatherproof  
Thermoplastic  
Combo



**WPX-EM-G3**  
Weatherproof  
Thermoplastic  
Emergency Unit



**NFT-G3**  
High Output  
Thermoplastic  
Emergency Light



**LED-90L-G3**  
Thermoplastic LED  
Emergency Light



**LED-51/52-G3**  
Ultracompact  
Thermoplastic  
Emergency Light



**EMX-G3**  
Steel  
Emergency Light



**SLW-GE**  
Die-Cast Low-Profile  
General &  
Emergency Light



**TRITON-G3**  
Die-Cast General &  
Emergency Light



**LEMD-G3**  
LED Battery  
Backup Drivers



**LEMDC-G3**  
Compact LED  
Battery Backup  
Drivers



**GATEWAYS**  
Primary &  
Secondary  
Gateways

## EQUITY LINE Products




**RS2**  
27W LED Steel  
Emergency Light



**QXEDGP**  
Thermoplastic LED  
Edge-lit Exit



**QXS**  
Universal Red/Green  
Slim Thermoplastic  
Exit



**QCRS**  
Universal Red/Green  
Slim Thermoplastic  
Combo



**QXT**  
Thin Thermoplastic  
Exit



**QCRT**  
Thin Thermoplastic  
Combo



**QCSS**  
Slim Thermoplastic  
Combo



**QMS**  
Micro Thermoplastic  
Emergency Unit



**QMR**  
Micro Thermoplastic  
Emergency Unit

Continued on next page...






## Inverters

						
<b>CANYON</b> Single Phase Indoor 750W, 950W or 1150W	<b>MESA</b> Single Phase Indoor 375W or 600W	<b>TUCSON MICRO</b> Single Phase Indoor 20W to 55W	<b>TUCSON COMPACT</b> Single Phase Indoor 55W to 220W	<b>TUCSON MINI</b> Single Phase Indoor 75W to 300W	<b>PHOENIX COMPACT</b> Single Phase Indoor 350W to 2000W	<b>PHOENIX LITE</b> Single Phase Indoor 575W to 1050W
						
<b>PHOENIX 1</b> Single Phase Indoor 2.4KW to 4.2KW	<b>PHOENIX PLUS</b> Single Phase Indoor 4.7KW to 21.0KW	<b>SEDONA</b> Three Phase Indoor 3.0KW to 125.0KW	<b>SIERRA 1</b> Single Phase Outdoor 0.075KW to 21.0KW	<b>SIERRA 3</b> Three Phase Outdoor 3.0KW to 21.0KW	<b>SONORAN 1</b> Single Phase Harsh Env. 0.075KW to 21.0KW	<b>SONORAN 3</b> Three Phase Harsh Env. 3.0KW to 125.0KW





## LED Remote Lamps

					
<b>CHIR</b> Chicago LED Remotes	<b>NXFR</b> NEMA 4X, NSF Rated LED Remotes	<b>RL52-2RL52</b> Ultra Compact LED Remotes	<b>RL1-WP</b> Wet Location LED Remotes	<b>RENEGADE</b> Universal LED Remotes	<b>MLED</b> LED Remotes for LED Exits or Em Units

## LED Retro-fit Kits

		
<b>RT1</b> LED Strip - Direct Wire or Socket Ready	<b>RT2</b> Socket Ready with Base Adaptors	<b>LEDGE</b> LED Edge-lit Retro-fit Kits



## Weatherproof LED Directional Signage

			
<b>82-1</b> 32.6" x 6" x 3.25" Multiple Legends	<b>82-2</b> 19.5" x 11.6" x 3.25" Multiple Legends	<b>82-4</b> 14" x 14" x 3.25" X and Arrow	<b>82-5</b> 19.5" x 6.5" x 3.25" Multiple Legends

## Emergency Components

		
<b>EMERGENCY BALLASTS</b> Fluorescent 300 to 3000 Lumens	<b>EMERGENCY LED DRIVER</b> Constant Power 5 to 13 Watts	<b>TRANSFER SWITCHES</b> Emergency Lighting Control Device





## Custom Signs/Legends

	
<b>Custom Signs</b> Weatherproof Assorted Sizes	<b>Custom Legends</b> Indoor - Assorted Styles & Legends

## Undercabinet


<b>LEDUC</b> LED Undercabinet 12" to 42" Lengths

## Accessories

			
<b>ER-KIT</b> Includes Canopy, Rod & Hardware	<b>GUARDS</b> Vandal Resistant Wire or Polycarbonate	<b>MOUNTING SHELVES</b> For Mounting Emergency Lights	<b>WPV</b> Wet Location Vandal Guards